

Kyoritsu 2608A Analogue Clamp Meter



Measures current, voltage, resistance, and temperature with optional probe


Rating: Not Rated Yet

[Ask a question about this product](#)

Manufacturer: [Kyoritsu](#)

Description

Overview

-  DC voltage range is also available especially for checking emergency battery operated power supply.
- Can measure temperature using optional probe.
- Tear drop shaped transformer jaws for ease of use.

Specifications

AC A	6/15/60/150/300A ±3% of FS
AC V	150/300/600V ±3% of FS
DC V	60V ±3% of FS
Resistance	? 1/10k? (25/250? mid-scale) ±2% of scale length
Temperature	-20°C~+150°C (with the use of Temperature Probe 7060) ±5°C (0°C~+100°C) ±10°C (other ranges)
Conductor Size	Ø33mm max.
Frequency Response	50Hz/60Hz
Safety Standard	IEC 61010-1 CAT.III 300V Pollution Degree 2

	IEC 61010-2-031 IEC 61010-2-032	
Withstand Voltage	3700V AC for 1 minute	
Power Source	R6P (AA) (1.5V) x 1	
Dimensions	193(L) x 78(W) x 39(D)mm	
Weight	275g approx.	
Accessories	7066 (Test Leads) 8923 (Fuse [0.5A/600V]) x 2 9097 (Carrying Case) R6P (AA) x 1 Instruction Manual	
Optional	7060 (Temperature Probe) 8004/8008 (Multi-Tran)	